

**Safety data sheet**  
**According to Regulation n.1907/2006 and Regulation 878/2020**  
**POTASSIUM CYANIDE**



Revisione n. IX – 07.06.2024  
 Replaces revision n. VIII – 18.01.2023

**1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

- 1.1 Product identifier**  
 Chemical name Potassium cyanide  
 Product code POTN 01  
 C.A.S. Registry Number 151-50-8  
 EC Number 205-792-3  
 Molecular weight 60,5 g/mol  
 Raw formula KCN  
 REACH registration number 01-2119486407-29-XXXX
- 1.2 Relevant identified uses of the substance or mixture and uses advised against**  
 Intended uses Industrial use. Additive for electroplating.  
 Uses advised against None in particular
- 1.3 Details of the supplier of the safety data sheet**  
 Name FAGGI ENRICO S.P.A.  
 Address Via Majorana, 101/103 50019 Sesto Fiorentino FI  
 Telephone number 055311861  
 Fax number 055311791  
 Competent person responsible for the safety data sheet lorenzo.magaldi@faggi.it
- 1.4 Emergency telephone number** 111 - Medical helpline operating in England, in Scotland (NHS 24) and in Wales (NHS Direct Wales)

**2 HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

Hazard classes	Category codes	Hazard statements
Metal Corrosive	1	H290
Acute Toxicity (oral)	1	H300
Acute Toxicity (dermal)	1	H310.
Acute Toxicity (inhalation)	1	H330
SPECIFIC TARGET ORGAN TOXICITY PROLONGED OR REPEATED EXPOSURE	1	H372
Route of exposure: oral and inhalation Affected organs: thyroid		
Aquatic Acute	1	H400
Aquatic Chronic	1	H410

**2.2 Label elements**

**Pictograms**



**Signal words**

**DANGER**

**Hazard statements**

H290	May be corrosive to metals
H300	Fatal if swallowed
H310	Fatal in contact with skin
H330	Fatal if inhaled
H372	Causes damage to organs through prolonged or repeated exposure

**Safety data sheet**  
**According to Regulation n.1907/2006 and Regulation 878/2020**  
**POTASSIUM CYANIDE**



Revisione n. IX – 07.06.2024  
 Replaces revision n. VIII – 18.01.2023

	H400	Very toxic to aquatic life.
	H410	Very toxic to aquatic life with long lasting effects
<b>Additional hazard statement / identification elements (EU)</b>	EUH032	Contact with acids liberates very toxic gas
<b>Precautionary statements</b>	P270	Do not eat, drink or smoke during use
	P273	Do not disperse in the environment
	P280	Wear protective gloves / clothing / eye protection / face protection
	P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor
	P302+P352	IF ON SKIN: Wash thoroughly with soap and water.
	P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
	P403+P233	Keep container tightly closed and in a ventilated place

**2.3 Other hazards**

Hydrocyanic acid can cause all levels of poisoning. Under the action of acids (including carbon dioxide) hydrogen cyanide is released, which is flammable and can form explosive gaseous mixtures together with air. Avoid contact with acids, air humidity, water. Does NOT contain PBT/vPvB substances in accordance with Regulation (EC) 1907/2006, attachment XIII It does NOT contain substances that interfere with the endocrine system in accordance with regulation (EC) 1907/2006 art.59 paragraph 1 and in compliance with the criteria established in Regulation (EU) 2017/2100 and Regulation (EU) 2018/605.

**3 COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1**

CAS Number	143-33-9
EC Number	205-599-4
INDEX Number	006-007-00-5
ATE (oral)	LD50 7.49 mg/kg bw (rat)
ATE (inhalation)	LC50 (60 min) 63 ppm (rat) OECD Guideline 403
ATE (dermal)	LD50 14.29 mg/kg bw (rabbit)
M factor (acute)	10
M Factor (chronic)	1

**4 FIRST AID MEASURES**

**4.1 Description of first aid measures**

**Inhalation** Inhalation is possible if aerosols, mists, dusts or fumes are formed. No mouth-to-mouth or mouth-to-nose resuscitation. Use artificial respiration bag or artificial respirator. Danger of intoxication. Keep the respiratory tract clean. In case of shortage of air, give oxygen. Call a doctor immediately for first aid (keyword: poisoning with cyanide / hydrogen cyanide).

**Safety data sheet**  
**According to Regulation n.1907/2006 and Regulation 878/2020**  
**POTASSIUM CYANIDE**



Revisione n. IX – 07.06.2024

Replaces revision n. VIII – 18.01.2023

Ingestion	Rinse mouth. Immediately drink plenty of water. Induce vomiting. Call a doctor for first aid immediately (keyword: poisoning with cyanide / hydrogen cyanide)
Contact with skin	If dry, undamaged skin comes into contact with dry sodium or potassium cyanide, no cyanide poisoning has been observed so far. In case of contact with skin, wash with plenty of soap and water. With symptoms of intoxication, alarm the emergency doctor immediately (keyword: cyanide poisoning / hydrogen cyanide).
Contact with eyes	The use of special washing solutions with a high buffer capacity (e.g. borate buffer solution, diphtotherine, etc.) is recommended as part of first aid measures.  Keeping the eye open, immediately rinse thoroughly with plenty of water for at least 10 minutes.  With symptoms of intoxication alarm the emergency doctor immediately (keyword: intoxication with cyanide / hydrogen cyanide)

Recommendations:

- Need to see a doctor immediately YES
- Possibility of delayed effects following exposure YES
- Move the exposed individual from the place of exposure to the open air YES
- Remove the clothing and shoes of the exposed individual YES
- How to handle contaminated clothing With gloves
- For those providing first aid, wear PPE YES

**4.2 Most important symptoms and effects, both acute and delayed**

Possible signs of poisoning: It seems appropriate to differentiate between two stages:

1. Slight intoxication
2. Severe intoxication

The following symptoms do not provide sure indications of prognosis.

Central nervous system symptoms:

Initial stage: headache, dizziness, drowsiness, nausea.

Advanced stage: convulsions, coma.

Pulmonary symptoms:

Initial stage: dyspnea, tachypnea.

Advanced stage: hypoventilation, Cheyne-Stokes breathing, apnea

Cardiovascular symptoms:

Initial stage: Hypertonia, sinus node arrhythmia, AV node arrhythmia, bradycardia.

Advanced stage: tachycardia, complex arrhythmias, cardiac arrest.

Skin symptoms:

Initial stage: Red complexion.

Advanced stage: Cyanosis.

Effect on metabolism: Lactate acidosis at pH 7.1 and lactate levels up to 17 mm / liter have been described.

**4.3 Indication of any immediate medical attention and special treatment needed**

Get immediate medical attention or contact a poison control center

**5. FIREFIGHTING MEASURES**

**5.1 Extinguishing media**

Suitable extinguishing media      alkaline quenching powder.

**Safety data sheet**  
**According to Regulation n.1907/2006 and Regulation 878/2020**  
**POTASSIUM CYANIDE**



Revisione n. IX – 07.06.2024

Replaces revision n. VIII – 18.01.2023

Unsuitable extinguishing media    water, carbon dioxide (CO<sub>2</sub>), foam, acid quenching material, acid quenching powders.

**5.2 Special hazards arising from the substance or mixture**

In the event of a fire, hydrogen cyanide can be released.

**5.3 Advice for firefighters**

**General information:**

Prevent the water used to extinguish the fire from flowing into the sewer, groundwater or surface water.

**Equipment:**

Normal firefighting clothing, such as self-contained open-circuit compressed air breathing apparatus (EN137), flame retardant suit (EN469), flame retardant gloves (EN659) and firefighter boots (HOA29 or A30)

**6. ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures**

**6.1.1. For non-emergency personnel**

Keep away from contaminated area and keep upwind

**6.1.2. For emergency responders**

Wear:

Semi-face masks with ABEK2P3 filters compliant with the EN14387: 2004 standard

Chemical risk gloves compliant with EN420 and EN374 standards

Splash goggles compliant with Directive 89/686 / EEC and standard EN166: 2001

Complete clothing compliant with the UNI EN 13034: 2006 type 6 standard

**6.2 Environmental precautions**

Do not send the product to the following compartments:

- ground
- ground water
- sewer

In case of pollution of rivers, lakes or sewers, inform the competent authorities in accordance with local laws.

In the event of a fire, the extinguishing water must not reach the sewers, the groundwater, or the surface waters. In the event of a fire, remove the endangered containers and take them to a safe place, if it can be done safely.

**6.3 Methods and material for containment and cleaning up**

**6.3.1. Advice in order to contain a spill**

Close (if possible) or cover drains

**6.3.2. Advice in order to clean-up a spill**

1. solid substance:

Collect mechanically. Collect in suitable containers. The collected material must be reused or disposed of according to regulations. To absorb the spilled substance, it is recommended to use an approved industrial vacuum cleaner.

2. solution:

Absorb with liquid retaining material, for example: inert absorbent medium, diatomaceous earth or acid absorbent. Collect mechanically. Collect in suitable containers. The collected material must be reused or disposed of according to regulations.

**Safety data sheet**  
**According to Regulation n.1907/2006 and Regulation 878/2020**  
**POTASSIUM CYANIDE**



Revisione n. IX – 07.06.2024

Replaces revision n. VIII – 18.01.2023

**6.3.3 Other information**

The substance, the packaging, the fire extinguishing water and the remains of any fire must be sent to an appropriate disposal facility, in compliance with waste regulations.

**6.4 Reference to other sections**

None

**7. HANDLING AND STORAGE**

**7.1. Precautions for safe handling**

**7.1.1. *Raccomentations in order to manipulate the substance or the mixture in a safe manner, such as containment measures and prevention of fire and aereosol and powders formation***

Avoid the formation of dust and keep away from incompatible materials (acids, acid salts, aluminum). Use only under a suction hood. Keep fire extinguishers and means of containment such as inert absorbent media, diatomaceous earth or absorbent for acids nearby.

**7.1.2. *General recommendation on work hygiene***

Do not eat, drink and smoke in work areas. Wash your hands after use. Remove contaminated clothing and protective equipment before entering eating areas

**7.2. Conditions Safe storage, including any incompatibilities**

**7.2.1. *Risk management associated with explosive atmospheres, corrosive conditions, flammability hazards, incompatible substances or mixtures, evaporative conditions, potential ignition sources***

The product itself does not burn but if involved in a fire it can release toxic gases. Suitable containers: plastic.

In case of release of hydrogen cyanide: The formation of flammable or explosive dust / air mixtures is possible.

Keep suitable fire extinguishers and plenty of water near the substance.

Open the containers under suction and close them immediately after use.

**7.2.2. *Control of weather conditions, ambient pressure, temperature, sunlight, humidity, and vibration***

Keep in a locked and ventilated place. Protect against solar radiation and the action of heat.

**7.2.3. *Conditions to maintain the integrity of the substance or mixture***

Store in original containers. Keep the containers tightly closed and store them in a dry and well ventilated, clean, dry, closable place.

**7.2.4. *Advice regarding the ventilation, specific design for storage rooms or vessels, quantity limits under storage conditions, packaging compatibilities***

Do not store near: acids and acid salts.

Keep the substance in locked storage and with forced ventilation.

Use ADR approved packaging permitted for the UN number UN1684 G.I. THE

If stored in quantities exceeding 50 kg, you must be in possession of authorization for custody and conservation issued by the Toxic Gas Commission and must be kept in an authorized cabin with forced ventilation

**7.3. Specific end use(s)**

Industrial use. Galvanic industry

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1. Control parameters**

DNEL

Workers

**Safety data sheet**  
**According to Regulation n.1907/2006 and Regulation 878/2020**  
**POTASSIUM CYANIDE**



Revisione n. IX – 07.06.2024

Replaces revision n. VIII – 18.01.2023

Systemic effects for long-term exposure – inhalation: 0.94 mg/m<sup>3</sup>  
Systemic effects for short-term exposure – inhalation: 12.5 mg/m<sup>3</sup>  
Local effects for long-term exposure – inhalation: hazard unknown (no further information necessary)  
Local effects for short-term exposure – inhalation: hazard unknown (no further information necessary)  
Systemic effects for long-term exposure – dermal: 0.14 mg/kg body weight per day  
Systemic effects for short-term exposure – dermal: 4.03 mg/kg body weight per day  
Local effects for long-term exposure – dermal: hazard unknown (no further information necessary)  
Local effects for short-term exposure – dermal: hazard unknown (no further information necessary)  
Eye hazards: high hazard (no threshold derived)

**General population.**

Significant exposure of the population to the substance is considered unlikely and therefore no data are available.

Eye hazards: high hazard (no threshold derived)

**PNEC**

Freshwater: 1 µg/L

Marine water: 0.2 µg/L

Sewer treatment plant: 50 µg/L

Sediment (freshwater): 4 µg/kg sediment dry weight

Sediment (marine water): 0.8 µg/kg sediment dry weight

Soil: 7 µg/kg soil dry weight

**8.2.**

**Exposure controls**

Provide appropriate air extraction / evacuation in the workplace and on the operating machine.

Provide for the installation of an emergency shower and an eye shower.

**8.2.1. *Appropriate engineering controls***

It is possible to evaluate the installation of a detector of diffuse emissions of hydrogen cyanide in the workplace.

**8.2.2. *Individual protection measures, such as personal protective equipment***

**Eye/face protection**

Goggles with side shields compliant with Directive 89/686 / EEC and with standard EN166: 2001

**Skin protection (hands)**

Gloves material :

- Natural latex (NR) Material thickness 0.5 mm Breakthrough time ≥ 480 min Method DIN EN374
- Nitril Material thickness 0.11 mm
- Breakthrough time ≥ 480 min Method DIN EN374
- Nitril Material thickness 0,33 mm Breakthrough time ≥ 480 min Method DIN EN374
- Polychloroprene with natural latex coating Material thickness 0.6 mm Breakthrough time ≥ 480 min Method DIN EN374

**Skin protection (body)**

Complete clothing compliant with the UNI EN 13034: 2006 type 6 standard

When cleaning: rubber or plastic boots

**Respiratory protection**

When hydrogen cyanide occurs:

**Safety data sheet**  
**According to Regulation n.1907/2006 and Regulation 878/2020**  
**POTASSIUM CYANIDE**



Revisione n. IX – 07.06.2024  
Replaces revision n. VIII – 18.01.2023

Wear self-contained breathing apparatus. Observe the maximum times of use of respiratory protection.  
In case of dust / aerosol:  
Respirator with combined filter B-P3  
Respirator with combined filter ABEK-P3  
The substance does not present thermal hazards

**Thermal hazards**

**8.2.3. Environmental exposure controls**

Prevent the spillage of solutions containing cyanide in groundwater, soil, sewers. Provide for closing the manholes while moving the solutions. Do not store in areas with sewage drains.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

Physical state	Solid
Colour	White
Odour	Characteristic
Melting point/freezing point	561.7 °C
Boiling point or initial boiling point and boiling range	No data available
Flammability	Not flammable
Lower and upper explosion limit	Not explosive
Flash point	Not flammable
Auto-ignition temperature	Not flammable
Decomposition temperature	Not available data
pH	Not available data
Kinematic viscosity	Not applicable
Solubility	400 g/L @ 20 °C and pH 7
Partition coefficient n-octanol/water (log value)	Log Kow - 0.25 @ 20 °C and pH 7
Vapour pressure	Not applicable
Density and/or relative density	1.56 @ 20 °C
Relative vapour density	1.8 hPa @ 634.5 °C
Particle characteristics	Solid potassium cyanide is commercially supplied with particle size between 40 and 355 microns: therefore only a negligible fraction can reach the deep respiratory tract.

**9.2. Other information**

None

**10. STABILITY AND REACTIVITY**

**10.1 Reactivity**

Danger of hydrocyanic acid formation in contact with acids, carbon dioxide, air humidity

**10.2 Chemical stability**

The product is stable under normal storage conditions

**10.3 Possibility of hazardous reactions**

**Safety data sheet**  
**According to Regulation n.1907/2006 and Regulation 878/2020**  
**POTASSIUM CYANIDE**



Revisione n. IX – 07.06.2024

Replaces revision n. VIII – 18.01.2023

Danger of hydrogen cyanide formation in contact with acids, carbon dioxide, air humidity.

**10.4 Conditions to avoid**

When heated above 300°C, hydrogen cyanide vapors may form

**10.5 Incompatible materials**

Acids, acid salts. Over time, even the air can lead to the formation of hydrogen cyanide in a confined environment or in containers that are not hermetically closed.

**10.6 Hazardous decomposition products**

HCN hydrogen cyanide (hydrogen cyanide)

**11. TOXICOLOGICAL INFORMATION**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity**

Oral: LD50 rat: 7.49 mg / kg bw

Inhalation : LC50 (60 min) 63 ppm (rat)

Dermal: LD50 14.29 mg/kg bw (rabbit)

**Skin corrosion / irritation**

Scientifically unjustified studies

**Serious eye damage/irritation**

Scientifically unjustified studies

**Respiratory or skin sensitization**

Scientifically unjustified studies

**Germ cell mutagenicity**

Based on available data, the classification criteria are not met

**Carcinogenicity**

Based on available data, the classification criteria are not met

**Reproductive toxicity**

Based on available data, the classification criteria are not met

**STOT – single exposure**

No data available

**STOT – repeated exposure**

NOAEL (oral) (rat): 40 mg/kg bw/day

NOAEC (inhalation) (rat): 9.2 ppm

LOAEC (inhalation) (rat): 29.9 ppm

Target organ: thyroids

**11.2 Information on other hazards**

It can be absorbed into the skin, particularly if the skin is sweaty or injured.

**12. ECOLOGICAL INFORMATION**

**12.1 Toxicity**

PNEC check section 8.1

Short term toxicity (fish): LC50 (4 days) 98.8 - 103.8 µg/L

Short term toxicity (invertebrates):

EC50 (2 days) 12.4 µg/L

**12.2 Persistence and degradability**

No available data

**12.3 Bioaccumulative potential**

Not bioaccumulative

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

Not applicable

**12.6 Endocrine disrupting properties**

No known effects

**12.7 Other adverse effects**

No known effects

**13. DISPOSAL CONSIDERATIONS**

**13.1. Waste treatment methods**

This product and its packaging must be disposed of in authorized facilities. A CER code of hazardous waste must be assigned on the basis of the provisions of Directive 2008/98/EC and subsequent amendments and additions.



**Safety data sheet**  
**According to Regulation n.1907/2006 and Regulation 878/2020**  
**POTASSIUM CYANIDE**



Revisione n. IX – 07.06.2024  
 Replaces revision n. VIII – 18.01.2023

The packaging and labeling of waste must be identical to that of the pure product. Do not remove the labels from the packages until their final destination.  
 Do not reuse empty containers.  
 Hydrocyanic waste may only be treated and decontaminated by authorized companies with: Hydrogen peroxide and pH value 11).

<b>14.</b>	<b>TRANSPORT INFORMATION</b>	
<b>14.1</b>	<b>UN number or ID number</b>	1680
<b>14.2</b>	<b>Official UN shipping name</b>	Potassium cyanide
<b>14.3</b>	<b>Transport hazard class(es)</b>	6.1
	ADR/RID/IMDG/ICAO-IATA: Class:	6.1
	ADR/RID/IMDG/ICAO-IATA: Label:	6.1 + Mark environmental hazard
	ADR: Tunnel restriction code	C/E
	IMDG - EmS:	F-A, S-A
<b>14.4</b>	<b>Packing group</b>	I
<b>14.5</b>	<b>Environmental hazards</b>	YES
	ADR/RID/ICAO-IATA:	dangerous for the environment
	IMDG: Marine Contaminant:	YES
<b>14.6</b>	<b>Special precautions for user</b>	
	Transport must be carried out by vehicles authorized for the transport of dangerous goods according to the provisions of the current edition of the A.D.R. Agreement. and the applicable national provisions. Transport must be carried out in the original packaging and, in any case, in packaging which is made of materials which cannot be attacked by the contents and which are not likely to generate dangerous reactions. Those responsible for loading and unloading dangerous goods must have received appropriate training on the risks presented by the preparation and on any procedures to be adopted in the event of emergency situations.	

**14.7 Maritime transport in bulk in accordance with the IMO Acts**

Bulk transport is not foreseen

**15. REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

	<b>Applicability</b>
Reg. (EC) 1907/2006 / EC Reach	YES
Reg. (EC) 1272/2008 CLP and subsequent changes and additions	YES
Reg. (CE) 2037/2000 "Substances that deplete the ozone layer"	NO
Reg. (EC) 850/2004 "Persistent organic pollutants"	NO
Reg. (EC) 689/2008 "export and import of dangerous chemicals"	NO
Substance listed in Annex I of Dir. 2012/18 / EU so-called Seveso	YES
Legislative Decree 81/2008 Consolidated Law on health and safety at work	YES
Directive 2014/103 / EU "Adr"	YES
R.D. 09/01/1927 "Toxic gases"	YES
Reg. (CE) 1907/2006/CE Reach art. 59 – Candidate List of Substances of Very High Concern (SVHC)	NO
Reg. (CE) 1907/2006/CE Reach - Annex XIV substances subject to authorisation	NO
Reg. (CE) 1907/2006/CE Reach - Annex XVII - Restrictions in certain dangerous substances	NO
<a href="https://echa.europa.eu/it/substances-restricted-under-reach">https://echa.europa.eu/it/substances-restricted-under-reach</a>	
<b>15.2 Chemical safety assessment</b>	

**Safety data sheet**  
**According to Regulation n.1907/2006 and Regulation 878/2020**  
**POTASSIUM CYANIDE**



Revisione n. IX – 07.06.2024

Replaces revision n. VIII – 18.01.2023

16.

A chemical safety assessment is not required because the annual production is below the legislative limit

**OTHER INFORMATION**

**Changes compared to the previous edition**

Changes to sections 1-2-3-8-12-14-16

**Acronim and abbreviation legend**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

GHS: Globally Harmonized System of Classification and Labeling of Substances

EINECS: European Inventory of Chemical Substances

CAS: Chemical Abstract Service

STA: Acute Toxicity Estimate

PBT: Persistent, Bioaccumulative and Toxic.

vPvB: (very persistent and very bioaccumulative). Very persistent and very bioaccumulative

LD: lethal dose

PNEC: predicted no effect concentration

DNEL: derived no effect level

TLV (ceiling value): threshold limit value

STEL: short-term exposure limit

EU-OEL: European occupational exposure limit

TWA: time-weighted average

EC: effective concentration

NOAEL: no observed adverse effect level

LC: lethal concentration

NOEC: no observed effect concentration

LOEC: lowest observed effect concentration

Bw: body weight

Koc: organic carbon-water partition coefficient

**Main references and data sources**

ECHA's data bank on registered substances and soon to be registered substances:  
<http://echa.europa.eu/web/guest/information-on-chemicals/registered-substances>

**Adequate training for workers in order to ensure the protection of human health and the environment**

Training on Chemical Risk pursuant to Legislative Decree 81/08 Title IX dangerous substances

- PPE training
- Training for obtaining a license for handling toxic gases