

Revisione n. V – 25.06.2024 Replaces revision n. IV – 18.01.2023

1.	IDEN.	TIFICATION OF THE SUBSTANCE/	MIXTURE AND C	F THE COMPANY	/UNDERTAKING		
	1.1	Product identifier			,		
		Chemical name	Sodium cyani	de			
		Product code	SOCI 01				
		C.A.S. Registry Number	143-33-9				
		EINECS Number	205-599-4				
		Molecular weight	006-007-00-5				
		Brut formula	49,01 g/mol				
		Commercial name	NaCN				
		REACH registration number		11-49-XXXX			
	1.2	÷		ubstance or mixture and uses advised against			
		Intended uses	Ind	ustrial use. Additi	ve for electroplating		
		Uses adviced against	No	ne in particular			
	1.3	Details of the supplier of the s	afety data sheet				
		Name	FAGGI	ENRICO S.P.A.			
		Adress	Via Ma	ijorana, 101/103 5	50019 Sesto Fiorentino Fl		
		Telephone number	05531	1861			
		Fax number	05531	1791			
		Competent person responsible	for	a maaald:@faas:;	<b>.</b>		
		the safety data sheet	Iorenz	o.magaldi@faggi.i	l		
	1.4	Emergency telephone number		•	perating in England, in Wales (NHS Direct Wales)		
2.		HAZARDS IDENTIFICATION		. ,			
	2.1	Classification of the substance	or mixture				
		Hazard classes	Ca	tegory codes	Hazard statements		
		Hazard classes Met. Corr.	Ca	tegory codes 1	Hazard statements H290		
			Ca				
		Met. Corr.	Ca	1	H290		
		Met. Corr. Acute Tox.	Ca	1 1	H290 H300		
		Met. Corr. Acute Tox. Acute Tox.		1 1 1	H290 H300 H310		
		Met. Corr. Acute Tox. Acute Tox. Acute Tox.		1 1 1 1	H290 H300 H310 H330		
		Met. Corr. Acute Tox. Acute Tox. Acute Tox. Specific target organ toxicity - r		1 1 1 1	H290 H300 H310 H330		
		Met. Corr. Acute Tox. Acute Tox. Acute Tox. Specific target organ toxicity - r Affected organs: thyroid gland		1 1 1 1 1	H290 H300 H310 H330 H372		
	2.2	Met. Corr. Acute Tox. Acute Tox. Acute Tox. Specific target organ toxicity - r Affected organs: thyroid gland Aquatic Acute		1 1 1 1 1 1	H290 H300 H310 H330 H372 H400		
	2.2	Met. Corr. Acute Tox. Acute Tox. Acute Tox. Specific target organ toxicity - r Affected organs: thyroid gland Aquatic Acute Aquatic Chronic		1 1 1 1 1 1	H290 H300 H310 H330 H372 H400		
	2.2	Met. Corr. Acute Tox. Acute Tox. Acute Tox. Specific target organ toxicity - r Affected organs: thyroid gland Aquatic Acute Aquatic Chronic Label elements		1 1 1 1 1 1	H290 H300 H310 H330 H372 H400		
	2.2	Met. Corr. Acute Tox. Acute Tox. Acute Tox. Specific target organ toxicity - r Affected organs: thyroid gland Aquatic Acute Aquatic Chronic Label elements Pictograms	repeated	1 1 1 1 1 1	H290 H300 H310 H330 H372 H400		
	2.2	Met. Corr. Acute Tox. Acute Tox. Specific target organ toxicity - r Affected organs: thyroid gland Aquatic Acute Aquatic Chronic Label elements Pictograms	repeated	1 1 1 1 1 1	H290 H300 H310 H330 H372 H400 H410		
	2.2	Met. Corr. Acute Tox. Acute Tox. Specific target organ toxicity - r Affected organs: thyroid gland Aquatic Acute Aquatic Chronic Label elements Pictograms	repeated OANGER H290	1 1 1 1 1 1 1 May be corre	H290 H300 H310 H330 H372 H400 H410		
	2.2	Met. Corr. Acute Tox. Acute Tox. Specific target organ toxicity - r Affected organs: thyroid gland Aquatic Acute Aquatic Chronic Label elements Pictograms	repeated DANGER H290 H300	1 1 1 1 1 1 1 May be corro Fatal if swallo	H290 H300 H310 H330 H372 H400 H410		
	2.2	Met. Corr. Acute Tox. Acute Tox. Specific target organ toxicity - r Affected organs: thyroid gland Aquatic Acute Aquatic Chronic Label elements Pictograms	repeated DANGER H290 H300 H310	1 1 1 1 1 1 1 May be corro Fatal if swalle Fatal in conta	H290 H300 H310 H330 H372 H400 H410		
	2.2	Met. Corr. Acute Tox. Acute Tox. Specific target organ toxicity - r Affected organs: thyroid gland Aquatic Acute Aquatic Chronic Label elements Pictograms	repeated DANGER H290 H300 H310 H330	1 1 1 1 1 1 1 May be corro Fatal if swallo Fatal in conta Fatal if inhale	H290 H300 H310 H330 H372 H400 H410		
	2.2	Met. Corr. Acute Tox. Acute Tox. Specific target organ toxicity - r Affected organs: thyroid gland Aquatic Acute Aquatic Chronic Label elements Pictograms	repeated DANGER H290 H300 H310	1 1 1 1 1 1 May be corro Fatal if swallo Fatal if swallo Fatal if inhalo Causes dama	H290 H300 H310 H330 H372 H400 H410 Weige to metals by wed act with skin ed uge to organs through		
	2.2	Met. Corr. Acute Tox. Acute Tox. Specific target organ toxicity - r Affected organs: thyroid gland Aquatic Acute Aquatic Chronic Label elements Pictograms	repeated DANGER H290 H300 H310 H330	1 1 1 1 1 1 May be corro Fatal if swallo Fatal if swallo Fatal if inhalo Causes dama	H290 H300 H310 H330 H372 H400 H410 Weige to metals bwed act with skin ed ge to organs through repeated exposure		



Revisione n. V – 25.06.2024 Replaces revision n. IV – 18.01.2023

		H410	Very toxic to aquatic life with long lasting effects	
	Additional hazard statement / identification elements (EU)	EUH032	Contact with acids liberates very toxic gas	
	Precautionary statements	P270	Do not eat, drink or smoke during use	
		P273	Do not disperse in the environment	
		P280	Wear protective gloves / clothing / eye protection / face protection	
		P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor	
		P302+P352	IF ON SKIN: Wash thoroughly with soap and water.	
		P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing	
		P403+P233	Keep container tightly closed and in a ventilated place	
2.3	Other hazards	Hydrocyanic acid can cause all levels of poisoning.		
		Under the ac	tion of acids (including carbon dioxide)	
		hydrogen cya	anide is released, which is flammable and	
		•	losive gaseous mixtures together with air.	
			t with acids, air humidity, water.	
		Does NOT contain PBT/vPvB substances in accordance		
		•	ion (EC) 1907/2006, attachment XIII	
			contain substances that interfere with the	
			stem in accordance with regulation (EC)	
		-	rt.59 paragraph 1 and in compliance with	
		the criteria established in Regulation (EU) 2017/2100		
		and Regulation (EU) 2018/605.		

#### 3.

COMPOSITION/INFORMATION ON INGREDIENTS

3.1

CAS Number 143-33-9 205-599-4 **EINECS Number** INDEX Number Not available ATE (oral) LD50 5.09 mg/kg bw (rat) ATE (inhalation) LC50 (4 h) 103 mg/m<sup>3</sup> ATE (dermal) LD50 11.28 mg/kg bw (rabbit) M factor (acute) 10 M Factor (chronic) 1

#### 4.

#### 4.1 Description of first aid measures

FIRST AID MEASURES

Inhalation

Inhalation is possible if aerosols, mists, dusts or fumes are formed. No mouth-to-mouth or mouth-to-nose resuscitation. Use artificial respiration bag or artificial respirator. Danger of intoxication. Keep the respiratory tract clean. In case of shortage of air, give oxygen. Call a doctor immediately for first aid (keyword: poisoning with cyanide / hydrogen cyanide).



Revisione n. V – 25.06.2024 Replaces revision n. IV – 18.01.2023

Ingestion		h. Immediately drink plenty	of water. Induce vom	iting.
		or for first aid immediately		
		poisoning with cyanide / hy		
Contact with skin		amaged skin comes into con	-	
		cyanide, no cyanide poisoni		
		tact with skin, wash with pl		
	• •	of intoxication, alarm the er		ediately
		cyanide poisoning / hydroge		
Contact with eyes		special washing solutions w		
		fer solution, diphtotherine,	etc.) is recommended	as part
	of first aid			
		e eye open, immediately rin	se thoroughly with ple	enty of
		t least 10 minutes.	ha amarganay daatar	
		toms of intoxication alarm t ly (keyword: intoxication wi		avanida
	inineulate		th cyanice / hydrogen	cyaniue
Recommendations:			YES	
Need to see a docto	or immediately		YES	
<ul> <li>Possibility of delaye</li> </ul>	ed effects follow	ving exposure	YES	
<ul> <li>Move the exposed</li> </ul>	individual from	the place of exposure to th	e open	
air			YES	
	-	the exposed individual	With glove	es
<ul> <li>How to handle cont</li> </ul>		-	YES	
	•	ects, both acute and delaye		
	oning: It seems	appropriate to differentiate	e between two stages:	
1. Slight intoxication				
2. Severe intoxication				
• • •		vide sure indications of prog	inosis.	
Central nervous syste				
Initial stage: headach				
Advanced stage: conv Pulmonary symptoms				
Initial stage: dyspnea				
<b>e</b>	•••	neyne-Stokes breathing, apr	162	
Cardiovascular sympt		leyne stokes sreathing, apr		
		arrhythmia, AV node arrhyt	hmia, bradvcardia.	
		ex arrhythmias, cardiac arre		
Skin symptoms:	iyearala, compi			
Initial stage: Red com	plexion.			
Advanced stage: Cyar				
		sis at pH 7.1 and lactate leve	ls up to 17 mm / liter h	ave been
described.		····	,	
	nediate medica	al attention and special trea	atment needed	
		contact a poison control co		
FIREFIGHTING MEAS		-		
Extinguishing media				
Suitable extinguishing	g media a	lkaline fire fighting powder.		

4.3

5.1

5.

4.2



Revisione n. V – 25.06.2024 Replaces revision n. IV – 18.01.2023

5.2

Unsuitable extinguishing media water, carbon dioxide (CO2), foam, acid fire fighting material, acid fire fighting powders.

#### Special hazards arising from the substance or mixture

In the event of a fire, hydrogen cyanide can be released.

5.3 Advice for firefighters General information:

Prevent the water used to extinguish the fire from flowing into the sewer, groundwater or surface water.

Equipment:

Normal firefighting clothing, such as selfcontained open-circuit compressed air breathing apparatus (EN137), flame retardant suit (EN469), flame retardant gloves (EN659) and firefighter boots (HOA29 or A30)

#### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Keep away from contaminated area and keep upwind

### 6.1.2. For emergency responders

Wear:

Semi-face masks with ABEK2P3 filters compliant with the EN14387: 2004 standard Chemical risk gloves compliant with EN420 and EN374 standards Splash goggles compliant with Directive 89/686 / EEC and standard EN166: 2001 Complete clothing compliant with the UNI EN 13034: 2006 type 6 standard

#### 6.2 Environmental precautions

Do not send the product to the following compartments:

- ground
- ground water
- sewer

In case of pollution of rivers, lakes or sewers, inform the competent authorities in accordance with local laws.

In the event of a fire, the extinguishing water must not reach the sewers, the groundwater, or the surface waters. In the event of a fire, remove the endangered containers and take them to a safe place, if it can be done safely.

#### 6.3 Methods and material for containment and cleaning up

#### 6.3.1. Advice in order to contain a spill

Close (if possible) or cover drains

#### 6.3.2. Advice in order to clean-up a spill

#### 1. solid substance:

Collect mechanically. Collect in suitable containers. The collected material must be reused or disposed of according to regulations. To absorb the spilled substance, it is recommended to use an approved industrial vacuum cleaner. 2. solution:

Absorb with liquid retaining material, for example: inert absorbent medium, diatomaceous earth or acid absorbent. Collect mechanically. Collect in suitable containers. The collected material must be reused or disposed of according to regulations.



Revisione n. V – 25.06.2024 Replaces revision n. IV – 18.01.2023

6.4

7.2.

#### 6.3.3 Other information

The substance, the packaging, the fire extinguishing water and the remains of any fire must be sent to an appropriate disposal facility, in compliance with waste regulations.

#### Reference to other sections None

#### 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

# 7.1.1. Raccomentations in order to manipulate the substance or the mixture in a safe manner, such as containement measures and prevention of fire and aereosol and powders formation

Avoid the formation of dust and keep away from incompatible materials (acids, acid salts, aluminum). Use only under a suction hood. Keep fire extinguishers and means of containment such as inert absorbent media, diatomaceous earth or absorbent for acids nearby.

#### 7.1.2. General recommendation on work hygiene

Do not eat, drink and smoke in work areas. Wash your hands after use. Remove contaminated clothing and protective equipment before entering eating areas **Conditions Safe storage, including any incompatibilities** 

## **7.2.1.** Risk management associated with explosive atmospheres, corrosive conditions, flammability hazards, incompatible substances or mixtures, evaporative conditions, potential ignition sources

The product itself does not burn but if involved in a fire it can release toxic gases. Suitable containers: plastic.

In case of release of hydrogen cyanide: The formation of flammable or explosive dust / air mixtures is possible.

Keep suitable fire extinguishers and plenty of water near the substance.

#### Open the containers under suction and close them immediately after use.

## **7.2.2.** Control of weather conditions, ambient pressure, temperature, sunlight, humidity, and vibration

Keep in a locked and ventilated place. Protect against solar radiation and the action of heat.

#### **7.2.3.** Conditions to maintain the integrity of the substance or mixture Store in original containers. Keep the containers tightly closed and store them in a dry and well ventilated, clean, dry, closable place.

**7.2.4.** Advice regarding the ventilation, specific design for storage rooms or vessels, quantity limits under storage conditions, packaging compatibilities Do not store near: acids and acid salts.

Keep the substance in locked storage and with forced ventilation.

Use ADR approved packaging permitted for the UN number UN1684 G.I. THE If stored in quantities exceeding 50 kg, you must be in possession of authorization for custody and conservation issued by the Toxic Gas Commission and must be kept in an authorized cabin with forced ventilation

#### 7.3. Specific end use(s)

Industrial use. Additive for electroplating

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

Time Weighted Average (TWA): 1.0 mg/m<sup>3</sup> on 8 hours Short Term Exposure Limit (STEL): 5 mg/m<sup>3</sup> for 15 minutes



Revisione n. V – 25.06.2024 Replaces revision n. IV – 18.01.2023

#### DNEL

#### Workers

Systemic effects for long-term exposure – inhalation: 0.72 mg/m<sup>3</sup> Systemic effects for short-term exposure – inhalation: 9.4 mg/m<sup>3</sup> Local effects for long-term exposure – inhalation: testing technically not feasible Local effects for short-term exposure – inhalation: testing technically not feasible Systemic effects for long-term exposure – dermal: 0.102 mg/kg body weight per day Systemic effects for short-term exposure – dermal: 3.03 mg/kg body weight per day Local effects for long-term exposure – dermal: testing technically not feasible Local effects for short-term exposure – dermal: testing technically not feasible Local effects for short-term exposure – dermal: testing technically not feasible Local effects for short-term exposure – dermal: testing technically not feasible Local effects for short-term exposure – dermal: testing technically not feasible Local effects for short-term exposure – dermal: testing technically not feasible Local effects for short-term exposure – dermal: testing technically not feasible Local effects for short-term exposure – dermal: testing technically not feasible Local effects for short-term exposure – dermal: testing technically not feasible Local effects heat the should derived)

Eye hazards: high hazard (no threshold derived)

#### PNEC

Freshwater: 1 μg/L Marine water: 0.2 μg/L Sewer treatment plant: 50 μg/L Sediment (freshwater): 4 μg/kg sediment dry weight Sediment (marine water): 0.8 μg/kg sediment dry weight Soil: 7 μg/kg soil dry weight

#### 8.2. Exposure controls

Provide appropriate air extraction / evacuation in the workplace and on the operating machine.

Provide for the installation of an emergency shower and an eye shower.

#### 8.2.1. Appropriate engineering controls

It is possible to evaluate the installation of a detector of diffuse emissions of hydrogen cyanide in the workplace.

8.2.2.	Ina	lividual	protection mea	sures, such as p	ersonal protectiv	e equipment

Eye/face protection	Goggles with side shields compliant with Directive
	89/686 / EEC and with standard EN166: 2001
Skin protection (hands)	Gloves material :
	<ul> <li>Natural latex (NR) Material thickness 0.5 mm</li> </ul>
	Breakthrough time ≥ 480 min Method DIN EN374
	<ul> <li>Nitril Material thickness 0.11 mm</li> </ul>
	<ul> <li>Breakthrough time ≥ 480 min Method DIN EN374</li> </ul>
	<ul> <li>Nitril Material thickness ,33 mm Breakthrough</li> </ul>
	time ≥ 480 min Method DIN EN374
	<ul> <li>Polychloroprene with natural latex coating</li> </ul>
	Material thickness 0.6 mm Breakthrough time ≥ 480
	min Method DIN EN374
Skin protection (body)	Complete clothing compliant with the UNI EN
	13034: 2006 type 6 standard
	When cleaning: rubber or plastic boots
Respiratory protection	When hydrogen cyanide occurs:
	Wear self-contained breathing apparatus. Observe
	the maximum times of use of respiratory protection.
	In case of dust / aerosol:



Revisione n. V – 25.06.2024 Replaces revision n. IV – 18.01.2023

Respirator with combined filter B-P3
Respirator with combined filter ABEK-P3
The substance does not present thermal hazards

#### 8.2.3. Environmental exposure controls

**Thermal hazards** 

Prevent the spillage of solutions containing cyanide in groundwater, soil, sewers. Provide for closing the manholes while moving the solutions. Do not store in areas with sewage drains.

9.

9.1

Physical state	Solid
Colour	White
Odour	Characteristic
Melting point/freezing point	561.7 °C (101,325 Pa)
Boiling point or initial boiling point and boiling range	1500 °C (101,325 Pa)
Flammability	Not flammable
Lower and upper explosion limit	Not explosive
Flash point	Not flammable
Auto-ignition temperature	Not flammable
Decomposition temperature	Not available data
рН	Not available data
Kinematic viscosity	Not applicable
Solubility	370 g/L @ 20 °C and pH 7
Partition coefficient n-octanol/water (log value)	Log Kow - 0.25 @ 20 °C and pH 7
Vapour pressure	1 hPa @ 800 °C
Density and/or relative density	1.595 @ 20 °C
Relative vapour density	1.8 hPa @ 634.5 °C
Particle characteristics	There are 2 processes (A and B) w
	can be used to make a powder.
	Neither process generates particle
	which are small enough to be
	respirable into the deep lung (5
	microns diameter). The mean
	diameter of particles manufacture
	according to Process A is betweer
	and 355 microns, and in process E
	between 40 and 180 microns. Les
	than 8% of particles generated by
	process B are under 40 microns, s
	only an insignificant amount wou
Other information	below 5 microns.

	9.2.	Other information
		None
10.		STABILITY AND REACTIVITY
	10.1	Reactivity
		Danger of hydrocyanic acid formation in contact with acids, carbon dioxide, air
		humidity
	10.2	Chemical stability



Revisione n. V – 25.06.2024 Replaces revision n. IV – 18.01.2023

		The product is stable under normal stor	age conditions		
	10.3	Possibility of hazardous reactions			
		Danger of hydrogen cyanide formation	in contact with acids, carbon dioxide, air		
		humidity.			
	10.4	Conditions to avoid			
		When heated above 300°C, hydrogen cy	yanide vapors may form		
	10.5	Incompatible materials			
		Acids, acid salts. Over time, even the air	r can lead to the formation of hydrogen		
		cyanide in a confined environment or in	containers that are not hermetically closed.		
	10.6	Hazardous decomposition products			
		HCN hydrogen cyanide (hydrogen cyani	de)		
11.		TOXICOLOGICAL INFORMATION			
	11.1	Information on hazard classes as define	ed in Regulation (EC) No 1272/2008		
		Acute toxicity	Oral: LD50 rat: 5.09 mg / kg bw		
		·	Inahalation : LC50 (4 h) 103 mg/m <sup>3</sup>		
			Dermal: LD50 11.28 mg/kg bw		
			(rabbit)		
		Skin corrosion / irritation	Scientifically unjustified studies		
		Serious eye damage/irritation	Scientifically unjustified studies		
		Respiratory or skin sensitization	Scientifically unjustified studies		
		Germ cell mutagenicity	Based on available data, the		
		<b>c</b> .	classification criteria are not met		
		Carcinogenicity	Based on available data, the		
			classification criteria are not met		
		Reproductive toxicity	Based on available data, the		
			classification criteria are not met		
		STOT – single exposure	No data available		
		STOT – repeated exposure	NOAEL oral: 1.02 mg/kg bw/day		
			NOAEC inhalation: 3.75 mg/m <sup>3</sup>		
	11.2	Information on other hazards	-		
		It can be absorbed into the skin, particularly if the skin is sweaty or injured.			
12.		ECOLOGICAL INFORMATION			
	12.1	Toxicity	PNEC: check section 8.1		
			Effect concentration (short term): 15.8 μg/L		
			Effect concentration (long term): 2 μg/L		
	12.2	Persistence and degradability	No available data		
	12.3	Bioaccumulative potential	Not bioaccumulative		
	12.4	Mobility in soil	No data available		
	12.5	Results of PBT and vPvB assessment	Non PBT nor vPvB		
	12.6	Endocrine disrupting properties	No known effects		
	12.7	Other adverse effects	No known effects		
13.		DISPOSAL CONSIDERATIONS			
	13.1.	Waste treatment methods			
		This product and its packaging must be	disposed of in authorized facilities. A CER code		
		of hazardous waste must be assigned or	n the basis of the provisions of Directive		
		2008/98/EC and subsequent amendment	nts and additions.		
		The packaging and labeling of waste mu	ist be identical to that of the pure product. Do		
		not remove the labels from the package	es until their final destination.		
		Do not reuse empty containers.			



Revisione n. V – 25.06.2024 Replaces revision n. IV – 18.01.2023

		Hydrocyanic waste may only be treated and	d decontaminated by auth	orized companies
		with: Hydrogen peroxide and pH value 11).		
14.		TRANSPORT INFORMATION		
	14.1	UN number or ID number	1689	
	14.2	Official UN shipping name	Sodium cyanide	
	14.3	Transport hazard class(es)		
		ADR/RID/IMDG/ICAO-IATA: Class:	6.1	
		ADR/RID/IMDG/ICAO-IATA: Label:	6.1	
		ADR: Tunnel restriction code	C/E	
		IMDG - EmS:	F-A- S-A	
	14.4	Packing group	1	
	14.5	Dangers for the environment		
		ADR/RID/ICAO-IATA:	Yes	
		IMDG: Marine Contaminant:	Yes	
	14.6	Special precautions for user		
		Transport must be carried out by vehicles a	uthorized for the transpor	t of dangerous
		goods according to the provisions of the cu		-
		the applicable national provisions. Transpo	rt must be carried out in th	ne original
		packaging and, in any case, in packaging wh		
		attacked by the contents, and which are no	,	
		Those responsible for loading and unloadin		
		appropriate training on the risks presented	by the preparation and or	any procedures
		to be adopted in the event of emergency si	tuations.	
	14.7	Maritime transport in bulk in accordance v	with the IMO Acts	
		Bulk transport is not foreseen		
15.		REGULATORY INFORMATION		
	15.1	Safety, health and environmental regulation	ons/legislation specific	
		for the substance or mixture		Applicability
		Reg. (EC) 1907/2006 / EC Reach		YES
		Reg. (EC) 1272/2008 CLP and subsequent of	-	YES
		Reg. (CE) 2037/2000 "Substances that dep	-	NO
		Reg. (EC) 850/2004 "Persistent organic pol		NO
		Reg. (EC) 689/2008 "export and import of	-	NO
		Substance listed in Annex I of Dir. 2012/18		YES
		Legislative Decree 81/2008 Consolidated L	aw on health and	YES
		safety at work		
		Directive 2014/103 / EU "Adr"		YES
		R.D. 09/01/1927 "Toxic gases"		YES
		Reg. (CE) 1907/2006/CE Reach art. 59 – Ca	ndidate List of	NO
		Substances of Very High Concern (SVHC)		
		Reg. (CE) 1907/2006/CE Reach - Annex XIV	substances subject to	
		authorisation		
				NO
		Reg. (CE) 1907/2006/CE Reach - Annex XV	II - RESTRICTIONS IN	
		certain dangerous substances	utata da su da sa sa d	
		https://echa.europa.eu/it/substances-res	tricted-under-reach	NG
	45.2			NO
	15.2	Chemical safety assessment		



Revisione n. V – 25.06.2024 Replaces revision n. IV – 18.01.2023

16.

	ne legislative limit
-	THER INFORMATION
	hanges compared to the previous edition
	hanges to sections 1-3-8-9-11-12-14-16
	cronim and abbreviation legend
	DR: European Agreement concerning the International Carriage of Dangerous y Road
	HS: Globally Harmonized System of Classification and Labeling of Substances
EI	INECS: European Inventory of Chemical Substances
C	AS: Chemical Abstract Service
	TA: Acute Toxicity Estimate
	BT: Persistent, Bioaccumulative and Toxic.
	PvB: (very persistent and very bioaccumulative). Very persistent and very
bi	ioaccumulative
	D: lethal dose
	NEC: predicted no effect concentration
D	NEL: derived no effect level
	LV (ceiling value): threshold limit value
	TEL: short-term exposure limit
	U-OEL: European occupational exposure limit
	WA: time-weighted average
	C: effective concentration
	OAEL: no observed adverse effect level
	C: lethal concentration
Ν	OEC: no observed effect concentration
L(	DEC: lowest observed effect concentration
B	w: body weight
	oc: organic carbon-water partition coefficient
	lain references and data sources
	CHA's data bank on registered substances and soon to be registered substance
h	ttp://echa.europa.eu/web/guest/information-on-chemicals/registered-substa

### Adequate training for workers in order to ensure the protection of human health and the environment

Training on Chemical Risk pursuant to Legislative Decree 81/08 Title IX dangerous substances PPE training