### According to Regulation n. 1907/2006 and Regulation 878/2020 PD DIAMINODINITRITE 150 g/L



Revision 10 – 05.12.2024 Replaces revision 9 – 30.06.2023

#### 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Chemical name PD DIAMINODINITRITE 150 g/L

Product code 116

UFI code V7N5-Y0E6-1004-RA4P

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended uses Industrial use. Industrial use. Additive for electroplating

Uses adviced against None in particular

1.3 Details of the supplier of the safety data sheet

Name FAGGI ENRICO S.P.A.

Adress Via Majorana, 101/103 50019 Sesto Fiorentino FI

Telephone number 055311861 Fax number 055311791

Competent person responsible lorenzo.magaldi@faggi.it

for the safety data sheet

**1.4 Emergency telephone number** 111 - Medical helpline operating in England, in Scotland

(NHS 24) and in Wales (NHS Direct Wales)

**1.5 Registration number** Exempt under Article 6(1)

2 HAZARDS IDENTIFICATION

#### 2.1 Classification of the mixture according to Regulation (EC) n. 1272/2008

| Hazard class | Category codes | Hazards indications |
|--------------|----------------|---------------------|
| Skin corr.   | 1B             | H314                |
| STOT SE      | 3              | H335                |

#### 2.2 Label elements

Signal word

Pictograms





| Hazard statements    |      |                                  |
|----------------------|------|----------------------------------|
|                      | H314 | Causes severe skin burns and eye |
|                      |      | damage                           |
|                      | H335 | May cause respiratory irritation |
| Precautionary advice |      |                                  |
|                      |      |                                  |

P280 Wear protective gloves / clothing / eye

protection / face protection

P301 + P330 + P331 IF SWALLOWED: rinse mouth. DO NOT

induce vomiting

P303+P361+P353 IN CASE OF CONTACT WITH SKIN (or

hair): immediately take off all

contaminated clothing. Rinse the skin /

take a shower

P305 + P351 + P338 IN CASE OF CONTACT WITH THE EYES:

rinse thoroughly for several minutes. Remove any contact lenses if easy to

do. Continue rinsing

P273 Avoid release to the environment

UFI code G2N5-Y01D-E004-EMYJ

### According to Regulation n. 1907/2006 and Regulation 878/2020 PD DIAMINODINITRITE 150 g/L



Revision 10 - 05.12.2024 Replaces revision 9 – 30.06.2023

> 2.3 Other hazards It does NOT contain PBT / vPvB substances according to

> > Regulation (EC) 1907/2006, annex XIII

It does NOT contain substances that interfere with the endocrine system in accordance with Regulation (EC) 1907/2006 art.59 paragraph 1 and in accordance with the criteria established in Regulation (EU) 2017/2100 and

Classifications

Regulation (EU) 2018/605.

Concentration

#### 3 **COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2 Mixture

|                                  | Concentration | Classii           | ications       |
|----------------------------------|---------------|-------------------|----------------|
| Product identifier               | %             |                   |                |
|                                  |               | Hazard<br>Classes | Category codes |
| Ammonia                          | 1 ≤ C ≤ 7     | Skin corr. 1 B    | H314           |
| CAS 1336-21-6                    |               | STOT SE 3         | H335           |
| EC: 215-647-6                    |               | Aquatic acute 1   | H400           |
| INDEX 007-001-01-2               |               |                   |                |
| REACH n. 01-2119488876-14-XXXX   |               |                   |                |
| ATE: not applicable              |               |                   |                |
| M factor acute toxicity: 1       |               |                   |                |
| M factor chronic: not applicable |               |                   |                |
| Specific limits:                 |               |                   |                |
| STOT SE 3; H335: C ≥ 5 %         |               |                   |                |
| Diamminedinitropalladium(II)     | 20 ≤ C ≤ 40   | Skin irrit. 2     | H315           |
| CAS 14409-60-0                   |               | Eye irrit. 2      | H319           |
| EC: 238-388-0                    |               | STOT SE 3         | H335           |
| INDEX: Not available             |               |                   |                |
| M factor : not applicable        |               |                   |                |
| ATE: not applicable              |               |                   |                |
| N. Reach: exempt for quantity    |               |                   |                |
| EIDCT AID MEACHDEC               |               |                   |                |

#### **FIRST AID MEASURES**

#### 4.1 Description of first aid measures

| Inhalation        | If the person is unconscious, keep him stable on his side during    |
|-------------------|---|
|                   | transport.  |
| Ingestion         | Drink plenty of water and stand in a well-ventilated area. Seek     |
|                   | immediate medical attention. Do not induce vomiting.                |
| Contact with skin | Wash immediately with soap and water and rinse thoroughly.          |
| Contact with eyes | Wash with running water for several minutes holding the eyelids     |
|                   | wide open and consult a doctor. Do not use eye drops and ointments. |

#### Recommendations:

| <ul> <li>Need to see a doctor immediately</li> </ul>                        | YES        |
|---|------------|
| <ul> <li>Possibility of delayed effects following exposure</li> </ul>       | YES        |
| • Move the exposed individual from the place of exposure to the open air    | YES        |
| <ul> <li>Remove the clothing and shoes of the exposed individual</li> </ul> | YES        |
| How to handle contaminated clothing   | With glove |

With gloves For those who take first care, wear PPE YES

#### 4.2 Most important symptoms and effects, both acute and delayed

## According to Regulation n. 1907/2006 and Regulation 878/2020 PD DIAMINODINITRITE 150 g/L



Revision 10 – 05.12.2024 Replaces revision 9 – 30.06.2023

Causes serious eye damage. It can irritate the respiratory tract. Causes severe burns. It can cause heartburn in the mouth, throat and stomach.

#### 4.3 Indication of any immediate medical attention and special treatment needed

In case of skin contact, ingestion or inhalation, call a physician immediately.

#### 5 FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

Suitable extinguishing media Suitable extinguishing media: CO2, powder or water spray.

Extinguish large fires with water spray or alcohol-resistant

foam.

Unsuitable extinguishing media None in particular

#### 5.2 Special hazards arising from the substance or mixture

In a fire or if heated, a pressure increase will occur and the container may burst. Possible formation of ammonia vapors and nitrogen oxide fumes.

#### **5.3** Advice for firefighters

General information

Isolate the area by removing all people in case of fire. Prevent the water used to extinguish the fire from flowing into the sewer, groundwater or surface water.

Normal fire-fighting clothing, such as self-contained open-circuit compressed air breathing apparatus (EN137), flame retardant suit (EN469), flame retardant gloves (EN659)

and firefighter boots (HOA29 or A30)

Equipment

6

#### **ACCIDENTAL RELEASE MEASURES**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Keep away from contaminated area and keep upwind

### 6.1.2. For emergency responders

Wear:

Gloves for chemical risks compliant with EN420 EN374 Standards Complete clothing compliant with the UNI EN 13034: 2006 standard Mask with K-type filters compliant with EN14387: 2004 + A1: 2008

#### 6.2 Environmental precautions

Prevent infiltration into the sewer, groundwater and surface water. In case of infiltration into bodies of water or sewers or in case of penetration into the ground, notify the competent authorities.

#### 6.3 Methods and material for containment and cleaning up

#### 6.3.1. Advice in order to contain a spill

Move containers from the spill area. Contain and collect any spills with non-combustible absorbent material, such as sand, earth, vermiculite, diatomite. Prevent leakage into sewer systems, waterways, basements or surrounding areas

#### 6.3.2. Advice in order to clean-up a spill

Use means of neutralization

#### 6.3.3 Other information

Disposal of contaminated material in accordance with point 13. Provide adequate ventilation

#### 6.4 Reference to other sections

None

# According to Regulation n. 1907/2006 and Regulation 878/2020 PD DIAMINODINITRITE 150 g/L



Revision 10 – 05.12.2024 Replaces revision 9 – 30.06.2023

#### 7 HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

# 7.1.1. Raccomentations in order to manipulate the substance or the mixture in a safe manner, such as containement measures and prevention of fire and aereosol and powders formation

Store in original and labeled packaging. Provide sufficient ventilation / extraction in the workplace. Avoid the formation of aerosols.

### 7.1.2. General recommendation on work hygiene

Do not eat, drink and smoke in work areas. Wash your hands after use. Remove contaminated clothing and protective equipment before entering eating areas

#### 7.2. Conditions Safe storage, including any incompatibilities

7.2.1. Risk management associated with explosive atmospheres, corrosive conditions, flammability hazards, incompatible substances or mixtures, evaporative conditions, potential ignition sources

Keep the container closed and sealed until use. Keep away from acid substances.

### 7.2.2 Containment of the effects of weather conditions, pressure, temperature, sunlight, humidity and vibrations

Store in original container protected from direct sunlight in a dry, cool and well-ventilated area.

#### 7.2.3. Conditions for keeping substances / mixtures intact

Open containers must be resealed and kept straight

### 7.2.4 Provisions relating to ventilation, specific design of storage rooms or containers, quantitative limits in storage conditions, compatibility of packaging

Use ADR-approved packaging and store them in a containment basin equal to the capacity of the packaging with greater volume in rooms without sewage drains.

#### 7.3. Specific end use(s)

Industrial use. Additive for elctroplating

#### **EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

**SUBSTANCE: AMMONIA** 

(Annex XXXVIII Legislative Decree 81/06)

#### **EU OEL:**

TWA (8h) 14 mg/m3 or 20 ppm (gaseous state)

STEL (short term) 36 mg/m3 or 50 ppm (gaseous state)

#### **DNEL**

#### Workers

Systemic effects for long-term exposure – inhalation: 47.6 mg/m3

Systemic effects for short-term exposure – inhalation: 47.6 mg/m3

Local effects for long-term exposure – inhalation: 14 mg/m3

Local effects for short-term exposure – inhalation: 36 mg/m3

Systemic effects for long-term exposure – dermal: 6.8 mg/kg body weight per day

Systemic effects for short-term exposure – dermal: 6.8 mg/kg body weight per day

Local effects for Long-term exposure – dermal: moderate risk (no threshold derived)

Local effects for short-term exposure – dermal: moderate risk (no threshold derived)

Eye hazards: moderate risk (no threshold derived)

#### **General population**

Systemic effects for long-term exposure – inhalation: 23.8 mg/m3 Systemic effects for short-term exposure – inhalation: 23.8 mg/m3 Local effects for long-term exposure – inhalation: 2.8 mg/m3 Local effects for short-term exposure – inhalation: 7.2 mg/m3

8

## According to Regulation n. 1907/2006 and Regulation 878/2020 PD DIAMINODINITRITE 150 g/L



Revision 10 – 05.12.2024 Replaces revision 9 – 30.06.2023

Systemic effects for long-term exposure – dermal: 6.8 mg/kg body weight per day Systemic effects for short-term exposure – dermal: 6.8 mg/kg body weight per day Local effects for long-term exposure – dermal: moderate risk (no threshold derived) Local effects for short-term exposure – dermal: moderate risk (no threshold derived) Systemic effects for long-term exposure – oral: 6.8 mg/kg body weight per day Systemic effects for short-term exposure – oral: 6.8 mg/kg body weight per day Eye hazards: moderate risk (no threshold derived)

#### **PNEC**

Freshwater: 0.001 mg/l (Anhydrous ammonia)
Marine water: 0.001 mg/l (Anhydrous ammonia)

Soil: 0.022 mg/kg dry soil

#### **SUBSTANCE: PALLADIUM DIAMINODINITRITE**

**DNEL:** Data not available due to lack of appropriate studies **PNEC:** Data not available due to lack of appropriate studies

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

Local exhaust systems, emergency showers and eyewash systems near the work area.

#### 8.2.2. Individual protection measures, such as personal protective equipment

**Eye/face protection** Splash goggles compliant with Directive 89/686 /

EEC and with standard EN166: 2001

**Skin protection (hands)** Chemical risk gloves compliant with EN420 EN374

standards

Material: latex, nitrile rubber

Thickness: 0.4 mm

Breakthrough time: > 240 min

**Skin protection (body)** Complete antacid clothing compliant with the UNI

EN 13034: 2006 type 6 standard

**Respiratory protection** Semi-face mask with K type filter

Thermal hazards Data not available

#### 8.2.3. Environmental exposure controls

Maintain suction in all environments using localized collection systems and ambient air exchange. Convey the aspirated volumes to an abatement system and then into the atmosphere. Do not use recirculating air suction systems. Avoid any spillage into the environment.

#### **PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1 Information on basic physical and chemical properties

Physical state

Color

Codor

Ammoniacal

Melting point / freezing point

Boiling point or initial boiling point and

Liquid

Light yellow

Ammoniacal

- 33 ° C

> 60 ° C

boiling range

Flammability

Lower and upper explosive limits

Flash point

Self-ignition temperature

Decomposition temperature

pH

Not inflammable

Not inflammable

Data not available

> 8 at 20 ° C

Cinematic viscosity

Not inflammable

Data not available

9

# According to Regulation n. 1907/2006 and Regulation 878/2020 PD DIAMINODINITRITE 150 g/L



Revision 10 – 05.12.2024 Replaces revision 9 – 30.06.2023

|     |      | Solubility                                     | Fully miscible in water              |
|-----|------|--|--------------------------------------|
|     |      | Production coefficient n-octanol / water       | Data not available                   |
|     |      | (logarithmic value)                            | Data not available                   |
|     |      | Vapor pressure                                 | Data not available                   |
|     |      | Density and / or relative density              | 1.13 g / cm3                         |
|     |      | Relative vapor density                         | Data not available                   |
|     |      | Characteristics of the particles               | Not applicable                       |
|     | 9.2. | Other information                              |                                      |
|     |      | None   |                                      |
| 10  |      | STABILITY AND REACTIVITY                       |                                      |
|     | 10.1 | Reactivity                                     |                                      |
|     |      | The product has alkaline properties            |                                      |
|     | 10.2 | Chemical stability                             |                                      |
|     |      | Do not expose to direct sunlight and keep av   | vay from heat sources                |
|     | 10.3 | Possibility of hazardous reactions             | •                                    |
|     |      | In normal conditions of use and storage no c   | langerous reactions are foreseeable. |
|     |      | It can react violently with acids and reducing | _                                    |
|     | 10.4 | Conditions to avoid                            | -                                    |
|     |      | Information not available                      |                                      |
|     | 10.5 | Incompatible materials                         |                                      |
|     |      | Strong acids, reducing agents.                 |                                      |
|     | 10.6 | Hazardous decomposition products               |                                      |
|     |      | Ammonia, nitrogen oxides                       |                                      |
| 11  |      | TOXICOLOGICAL INFORMATION                      |                                      |
|     | 11.1 | Information on hazard classes as defined in    | Regulation (EC) No 1272/2008         |
|     |      | Acute toxicity                                 | Based on available data, the         |
|     |      |  | classification criteria are not met  |
|     |      | Skin corrosion / irritation                    | Corrosive to the skin                |
|     |      | Serious eye damage/irritation                  | Causes serious eye damage            |
|     |      | Respiratory or skin sensitization              | Based on available data, the         |
|     |      |  | classification criteria are not met  |
|     |      | Germ cell mutagenicity                         | Based on available data, the         |
|     |      |  | classification criteria are not met  |
|     |      | Carcinogenicity                                | Based on available data, the         |
|     |      |  | classification criteria are not met  |
|     |      | Reproductive toxicity                          | Based on available data, the         |
|     |      |  | classification criteria are not met  |
|     |      | STOT – single exposure                         | Respiratory tract irritation         |
|     |      | STOT – repeated exposure                       | Based on available data, the         |
|     |      |  | classification criteria are not met  |
|     | 11.2 | Information on other hazards                   |                                      |
|     |      | None   |                                      |
| 4.5 |      | FOOLOGICAL INTEGRATION                         |                                      |
| 12  | 12.1 | ECOLOGICAL INFORMATION                         |                                      |
|     | 12.1 | <b>Toxicity</b> Sub                            | stance: ammonia                      |

LC50 – Fish: 0.89 mg/l/96h Pimephales

promelas

# According to Regulation n. 1907/2006 and Regulation 878/2020 PD DIAMINODINITRITE 150 g/L



Revision 10 – 05.12.2024 Replaces revision 9 – 30.06.2023

|    |      |   | EC50 – Crustacea: 20 mg/l/48h Daphnia<br>magna                                     |
|----|------|---|--|
|    |      |   | NOEC Chronic Crustacea: 0.79 mg/l Daphnia  |
|    | 12.2 | Persistence and degradability                 | Readily biodegradable in plants and soils.   |
|    | 12.3 | Bioaccumulative potential                     | Data not available   |
|    | 12.4 | Mobility in soil                              | Data not available   |
|    | 12.5 | Results of PBT and vPvB assessment            | Not applicable   |
|    | 12.6 | Endocrine disrupting properties               | No known effects   |
| 12 | 12.7 | Other adverse effects DISPOSAL CONSIDERATIONS | No known effects   |
| 13 | 13.1 | Waste treatment methods                       |  |
|    | 15.1 | The substance and its packaging must b        | e disposed of as hazardous waste by  |
|    |      | authorized companies.                         | e disposed of as flazardods waste by   |
| 14 |      | TRANSPORT INFORMATION                         |  |
|    | 14.1 | UN number or ID number                        | 3266   |
|    | 14.2 | Official UN shipping name                     | Corrosive, basic, inorganic liquid, nas  |
|    |      | 5   | (ammonia, palladium diaminodinitrite)  |
|    | 14.3 | Transport hazard class                        |  |
|    |      | ADR/RID/IMDG/ICAO-IATA: Class:                | 8  |
|    |      | ADR/RID/IMDG/ICAO-IATA: Label:                | 8  |
|    |      | ADR: Tunnel restriction code                  | E  |
|    |      | IMDG - EmS:                                   | F-A, S-B   |
|    | 14.4 | Packing group                                 | II   |
|    | 14.5 | Dangers for the environment                   |  |
|    |      | ADR/RID/ICAO-IATA:                            | NO   |
|    |      | IMDG: Marine Contaminant:                     | NO   |
|    | 14.6 | Special precautions for user                  | Transport must be carried out by   |
|    |      |   | vehicles authorized for the transport of   |
|    |      |   | dangerous goods according to the   |
|    |      |   | provisions of the current edition of the   |
|    |      |   | A.D.R. Agreement. and the applicable national provisions. Transport must be        |
|    |      |   | ·  |
|    |      |   | carried out in the original packaging and, in any case, in packaging which is made |
|    |      |   | of materials which cannot be attacked by   |
|    |      |   | the contents, and which are not likely to  |
|    |      |   | generate dangerous reactions. Those  |
|    |      |   | responsible for loading and unloading  |
|    |      |   | dangerous goods must have received   |
|    |      |   | appropriate training on the risks  |
|    |      |   | presented by the preparation and on any  |
|    |      |   | procedures to be adopted in the event of   |
|    |      |   | emergency situations.  |
|    | 14.7 | Maritime transport in bulk according to       | <b>5</b> ,   |
|    |      | IMO instruments                               | ·  |
| 15 |      | REGULATORY INFORMATION                        |  |
|    | 15.1 | Safety, health and environmental regu         | lations/legislation specific   |
|    |      | for the substance or mixture                  | Applicability  |
|    |      |   | Do . 7 di 0  |

## According to Regulation n. 1907/2006 and Regulation 878/2020 PD DIAMINODINITRITE 150 g/L



Revision 10 – 05.12.2024 Replaces revision 9 – 30.06.2023

| Reg. (EC) 1907/2006 / EC Reach                                    | YES          |
|---|--------------|
| Reg. (EC) 1272/2008 CLP and subsequent changes and additions      | YES          |
| Reg. (CE) 2037/2000 "Substances that deplete the ozone layer"     | NO           |
| Reg. (EC) 850/2004 "Persistent organic pollutants"                | NO           |
| Reg. (EC) 689/2008 "export and import of dangerous chemicals"     | NO           |
| Substance listed in Annex I of Dir. 2012/18 / EU so-called Seveso | NO           |
| Legislative Decree 81/2008 Consolidated Law on health and         | YES          |
| safety at work  |              |
| Directive 2014/103 / EU "Adr"                                     | YES          |
| Reg. (CE) 1907/2006/CE Reach art. 59 – Candidate List of          | NO           |
| Substances of Very High Concern (SVHC)                            |              |
| Reg. (CE) 1907/2006/CE Reach - Annex XIV – Authorisation List     | NO           |
| Reg. (CE) 1907/2006/CE Reach - Annex XVII – Restriction List      | Limited use  |
| https://echa.europa.eu/it/substances-restricted-under-reach       | Item 3 - 75  |
|   | (check link) |

#### 15.2 Chemical safety assessment

A chemical safety assessment was not carried out

#### OTHER INFORMATION

#### Changes compared to the previous edition

Changes to sections 1-2-3-8-12-14-16

#### Acronim and abbreviation legend

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

GHS: Globally Harmonized System of Classification and Labeling of Substances

**EINECS: European Inventory of Chemical Substances** 

CAS: Chemical Abstract Service STA: Acute Toxicity Estimate

PBT: Persistent, Bioaccumulative and Toxic.

vPvB: (very persistent and very bioaccumulative). Very persistent and very

bioaccumulative LD: lethal dose

PNEC: predicted no effect concentration

DNEL: derived no effect level

TLV (ceiling value): threshold limit value

STEL: short-term exposure limit

EU-OEL: European occupational exposure limit

TWA: time-weighted average EC: effective concentration

NOAEL: no observed adverse effect level

LC: lethal concentration

NOEC: no observed effect concentration LOEC: lowest observed effect concentration

Bw: body weight

Koc: organic carbon-water partition coefficient

#### Main references and data sources

ECHA's data bank on registered substances and soon to be registered substances:

https://chem.echa.europa.eu/

16

# Safety data sheet According to Regulation n. 1907/2006 and Regulation 878/2020 PD DIAMINODINITRITE 150 g/L



Revision 10 – 05.12.2024 Replaces revision 9 – 30.06.2023

PPE training

### Indication, for mixtures, of which methods of evaluation of the information have been used for the purposes of classification

|   | Classification                                     | <b>Classification procedure</b>          |  |
|---|--|--|--|
| H314  | Causes serious skin burns and serious eye injuries | According to 3.3.3.1.2 of Annex I to CLP |  |
| H335  | Can irritate the respiratory tract                 | Calculation method                       |  |
| Adequate training for workers in order to ensure the protection of human health |  |  |  |
| and the   | environment  |  |  |
| Chemical Risk Training pursuant to Legislative Decree 81/08 Title IX dangerous  |  |  |  |
| substanc  | es   |  |  |